



DO NOT SCALE DRAWING	 www.fcjconnect.com CATALOG NUMBER: --	SCALE: 5:1	ISO PROJECTION: 
TITLE: Terminal 2.8 DCSI Female		DWG SIZE: A3	SHEET: 1 of 1
<small>THIS DRAWING AND ALL OTHER INFORMATION CONTAINED HEREIN IS PROPRIETARY AND THE PROPERTY OF FCJ. THIS DRAWING MAY NOT BE COPIED, REPRODUCED, OR DISCLOSED TO ANY THIRD PARTY WITHOUT THE EXPRESSED WRITTEN PERMISSION OF FCJ ©FCJ April 1999.</small>			

Start > [Search=60010111*](#) > **60010111**

60010111

Direct Links

- Cross Reference
- RoHS/LF P/N search
- Document & Drawing search
- Application tooling

Services

- Contact us
- Distributor list
- Pricing request
- Order samples

Literature

- Brochures & catalogs
- Product documentation
- Technical library

[Assistant](#) [Add to Favorites](#)



60010111

DCS-1 Standard female 2.8 mm terminal

ACTIVE

[Customer Drawing](#)

Automotive division

[Email Datasheet](#) [Print Datasheet](#)

FCI Brings You More

- [Contact our sales/technical support](#)
- [Sample request](#)
- [Price request](#)

Specifications

General Dimensional Electrical Mechanical Physical Environmental Features Other

General

Product Type	Terminal System
Terminal size (in mm)	2.8
Family	DCS-1
Features	Standard Version Low Contact Mating Force Short Auxiliary Steel Spring in CrNi

Dimensional

Contact Pitch	5 mm unsealed/6 mm with SWS
---------------	-----------------------------

Electrical	
Current Carrying Capacity at 23°C	28A
Current Carrying Capacity at 85°C	17A
Current Carrying Capacity at 100°C	14A
Maximum Insulation (in mm)	1.3 (FLRY wire)
Resistance (Contact)	< 3
Mechanical	
Range of Wire Gauge Min - Max	0.22 - 0.35 mm2
Contact mating force	< 9N
Single Wire Seal Compatible	Compatible
Contact unmating force	< 6N
Physical	
Plating	Sn
Material	CuSn/CrNi
Environmental	
IMDS	No
Other Features	
Type	Female
Crimping Tool	65200203
Tradenname	DCS
Disclaimer	Displayed data is for information purposes only. For more information, please contact your local sales office. The supply of some products might be limited to some customers.