





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	24MAY2017	AP	PV

IMC26-1602X AS SHOWN




SUITABLE CONTACT:
SIZE-16 (2X)
6862-201-16278



NOTES:



1. TE ORDER NUMBER
2. BULK PACKAGING IN CORRUGATED BOX.
3. INSERT ARRANGEMENT SEE PAGE 2.
4. PN SUFFIX "X" = SHIPPED WITH CONTACTS
5. CAVITY NUMBERING
6. SUITABLE COUNTERPART:


PLUG	RECEPTACLE (IN-LINE)	RECEPTACLE (FLANGE)
IMC26-1602X	IMC21-1602X	IMC24-1602X
IMC26-2005X	IMC21-2005X	IMC24-2005X
IMC26-2007X	IMC21-2007X	IMC24-2007X
IMC26-2212X	IMC21-2212X	IMC24-2212X




SCALE 2:1


22	IMC 200 SERIES PLUG 12 WAY	IMC26-2212X
20	IMC 200 SERIES PLUG 7 WAY	IMC26-2007X
20	IMC 200 SERIES PLUG 5 WAY	IMC26-2005X
16	IMC 200 SERIES PLUG 2 WAY	IMC26-1602X
PIN CONTACTS	DESCRIPTION	PART NO



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	18MAY2017	 TE Connectivity		
		CHK	22MAY2017			
		APVD	22MAY2017			
		PRODUCT SPEC				
DIMENSIONS: in [mm]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME IMC 200 SERIES, PLUG ASSY		
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.025 4 PLC ± ANGLES ±1°		SIZE A3		
MATERIAL -		FINISH -		CAGE CODE -		
		WEIGHT 2.3 g		DRAWING NO C-IMC26-XXXXX		
		CUSTOMER DRAWING		RESTRICTED TO -		
				SCALE 4:1		
				SHEET 1 OF 3		
				REV A		





SUITABLE CONTACT:
SIZE-22, (12X)
6862-201-22278



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AJITH PAI 18MAY2017	<div> TE Connectivity</div>		
DIMENSIONS: in [mm]		CHK PRAVEEN V 22MAY2017			
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD C FINZER 22MAY2017	NAME IMC 200 SERIES, PLUG ASSY		
		PRODUCT SPEC			
MATERIAL	FINISH	APPLICATION SPEC			
		WEIGHT			
-	-	2.3 g			
CUSTOMER DRAWING		SCALE			
		4:1			
		SHEET			
		3 OF 3			
		REV			
		A			